Subject Index: *Annals of the Missouri Botanical Garden* Vol. 101[1,2]

A

Acalypha, 384–405
Acalypha brasiliensis, 384–405
Acalypha cordobensis, 384–405
Acalypha friesii, 384–405
Acalypha gracilis, 384–405
Acalypha lagoensis
var. *grandifolia*, 384–405
Acalypha multicaulis
var. *glabrescens*, 384–405
Acalypha nitschkeana, 384–405
Acalypha striolata, 384–405
Acantholippia, 568–609
Africa, 261–383, 457–524
Alismatales, 406–455
Aloysia, 568–609
Aloysia coalcomana, 568–609
Aloysia gratissima
var. *gratissima*, 568–609
Aloysia macrostachya, 568–609
Aloysia wrightii, 568–609
Amarantellus argentinus, 261–383
Amaranthaceae, 261–383
Amaranthus, 261–383
subg. *Albersia*, 261–383
subg. *Amaranthus*, 261–383
Amaranthus albomarginatus, 261–383
Amaranthus artineanus, 261–383
Amaranthus ascendens, 261–383
Amaranthus asplundii, 261–383
subsp. *australis*, 261–383
Amaranthus ataco, 261–383
Amaranthus bigelovii, 261–383
Amaranthus blitum
subsp. *emarginatus*, 261–383
subsp. *pseudogracilis*, 261–383
Amaranthus bracteosus, 261–383
Amaranthus caudatus
var. *alopecurus*, 261–383
Amaranthus chihuahuensis, 261–383
Amaranthus crassipes
subsp. *warnockii*, 261–383
Amaranthus graecizans
subsp. *aschersonianus*, 261–383
Amaranthus hybridus
subsp. *quitensis*, 261–383
Amaranthus macrocarpus
subsp. *pallidus*, 261–383
Amaranthus schinzianus, 261–383
Amaranthus sclerantoides, 261–383
Amaranthus squamulatus, 261–383
Amaranthus torreyi, 261–383
Amaranthus vulgatissimus, 261–383
Amaranthus wrightii, 261–383
Amblogyna squarrulosa, 261–383
America, 261–383
Andes, 1–259
Apidae, 636–647
Apis mellifera, 636–647
Araceae, 1–259
Argentina, 384–405
Asia, 457–524, 525–552, 611–635, 750–771. *See also* specific countries
Asparagales, 406–455
Aulomyrcia, 648–698
Aulomyrcia blanchetiana, 648–698
Aulomyrcia buxifolia, 648–698
Aulomyrcia cambessedeana, 648–698
Aulomyrcia diaphana, 648–698
Aulomyrcia divaricata, 648–698
Aulomyrcia egensis, 648–698
Aulomyrcia eumecephylla, 648–698
Aulomyrcia gigantea, 648–698
Aulomyrcia goyazensis, 648–698
Aulomyrcia insularis
var. *punctata*, 648–698
Aulomyrcia karuaiensis, 648–698
Aulomyrcia mathewsiana, 648–698
Aulomyrcia pallida, 648–698
Aulomyrcia pohliana, 648–698
Aulomyrcia pyrifolia
var. *robusta*, 648–698
Aulomyrcia racemosa, 648–698
Aulomyrcia ramuliflora, 648–698
Aulomyrcia rorida, 648–698
Aulomyrcia rostrata, 648–698
Aulomyrcia salzmannii, 648–698
Aulomyrcia sphenoides, 648–698
Aulomyrcia stictophylla, 648–698
Aulomyrcia subobliqua, 648–698
Australia, 261–383

B

Bahia, 553–567
Brazil, 553–567, 636–647, 699–749
Burma, 611–635

C

Calyptranthes, 648–698
Caribbean, 648–698
Central America, 1–259, 648–698. *See also* specific countries
China, 525–552, 611–635, 750–771
Chlorospatha, 1–259
sect. *Occidentales*, 1–259
sect. *Orientales*, 1–259
Chlorospatha bayae, 1–259
Chlorospatha boosii, 1–259

[1] 101(1) pp. 1–260, 101(2) pp. 261–456, 101(3) pp. 457–610, 101(4) pp. 611–778.
[2] The subject index was compiled from volume 101 abstracts and key words.

Chlorospatha bullata, 1–259
Chlorospatha caldasensis, 1–259
Chlorospatha caliensis, 1–259
Chlorospatha carchiensis, 1–259
Chlorospatha cedralensis, 1–259
Chlorospatha chocoensis, 1–259
Chlorospatha congensis, 1–259
Chlorospatha croatiana
var. *enneaphylla*, 1–259
Chlorospatha engleri, 1–259
Chlorospatha giraldoi, 1–259
Chlorospatha grayumii, 1–259
Chlorospatha hannoniae, 1–259
Chlorospatha hastata, 1–259
Chlorospatha huilensis, 1–259
Chlorospatha jaramilloi, 1–259
Chlorospatha limonensis, 1–259
Chlorospatha litensis, 1–259
Chlorospatha longiloba, 1–259
Chlorospatha maculata, 1–259
Chlorospatha mansellii, 1–259
Chlorospatha morae, 1–259
Chlorospatha munchiquensis, 1–259
Chlorospatha nambiensis, 1–259
Chlorospatha narinoensis, 1–259
Chlorospatha noramurphyae, 1–259
Chlorospatha oblongifolia, 1–259
Chlorospatha plowmanii, 1–259
Chlorospatha portillae, 1–259
Chlorospatha pubescens, 1–259
Chlorospatha queremalensis, 1–259
Chlorospatha risaraldensis, 1–259
Chlorospatha sagittata, 1–259
Chlorospatha sizemoreae, 1–259
Chlorospatha stellasarreae, 1–259
Chlorospatha sucumbensis, 1–259
Chlorospatha timbiquensis, 1–259
Chlorospatha tokioensis, 1–259
Chlorospatha yatacuensis, 1–259
Chlorospatha yaupiensis, 1–259
Colombia, 1–259
Commelinales, 406–455
Costa Rica, 1–259

D
Dasypogonales, 406–455

E
Ecuador, 1–259
Erodium, 611–635
Eugenia ferruginea, 648–698
Eugenia micropetala, 648–698
Eugenia quitarensis, 648–698
Eugeniopsis riedeliana, 648–698
Euphorbiaceae, 384–405
Eurasia, 261–383

G
Geraniaceae, 611–635
Geranium
sect. *Polyantha*, 611–635
Geranium ascendens, 611–635
Geranium hispidissimum, 611–635
Geranium moupinense, 611–635
Geranium platylobum, 611–635
Glandularia, 699–749

H
Himalaya, 611–635

I
Idaho, 525–552
Ixoroideae, 457–524

K
Kentucky, 525–552
Krugia, 648–698

L
Lantana, 568–609
Lantaneae, 568–609
Lippia, 568–609

M
Marlierea, 648–698
Marlierea areolata, 648–698
Marlierea biptera, 648–698
Marlierea caesariata, 648–698
Marlierea cana, 648–698
Marlierea caudata, 648–698
Marlierea convexivenia, 648–698
Marlierea cuprea, 648–698
Marlierea dimorpha, 648–698
Marlierea ensiformis, 648–698
Marlierea estrellensis, 648–698
Marlierea excoriata, 648–698
Marlierea glabra, 648–698
Marlierea grandifolia, 648–698
Marlierea insignis, 648–698
Marlierea ligustrina, 648–698
Marlierea macrophylla, 648–698
Marlierea maguirei, 648–698
Marlierea mcvaughii, 648–698
Marlierea multiglomerata, 648–698
Marlierea obscura, 648–698
Marlierea obversa, 648–698
Marlierea parviflora, 648–698
Marlierea pudica, 648–698
Marlierea regeliana, 648–698
var. *parviflora*, 648–698
Marlierea rugosior, 648–698
Marlierea schottiana, 648–698
Marlierea scytophylla, 648–698
Marlierea skortzoviana, 648–698
Marlierea suaveolens, 648–698
Marlierea suborbicularis, 648–698
Marlierea subulata, 648–698
Marlierea sucrei, 648–698

Marlierea tomentosa, 648–698
Marlierea tovarensis, 648–698
Marlierea umbraticola, 648–698
Marlierea uniflora, 648–698
Marlierea ventuarensis, 648–698
Marlierea verticillaris, 648–698
Mozartia, 648–698
Mussaenda, 457–524
Mussaenda benguetensis, 457–524
Mussaenda grandibracteata, 457–524
Mussaenda liedeae, 457–524
Mussaenda macrophylla
var. *grandisepala*, 457–524
Mussaenda milleri, 457–524
Mussaenda philippica
var. *pubescens*, 457–524
Mussaenda scandens, 457–524
Mussaenda vidalii, 457–524
Mussaendeae, 457–524
Myrcia, 648–698
sect. *Aulomyrcia*, 648–698
Myrcia aerolata, 648–698
Myrcia amazonica, 648–698
Myrcia amblyphylla, 648–698
Myrcia argentigemma, 648–698
Myrcia aulomyrcioides, 648–698
Myrcia biptera, 648–698
Myrcia blanchetiana, 648–698
Myrcia caesariata, 648–698
Myrcia cana, 648–698
Myrcia caudata, 648–698
Myrcia chonodisca, 648–698
Myrcia coelosepala, 648–698
Myrcia colpodes, 648–698
Myrcia convexivenia, 648–698
Myrcia decorticans, 648–698
Myrcia diaphana, 648–698
Myrcia dictyophylla, 648–698
Myrcia egensis, 648–698
Myrcia ehrenbergiana, 648–698
Myrcia ensiformis, 648–698
Myrcia eumecephylla, 648–698
Myrcia excoriata, 648–698
Myrcia ferruginea, 648–698
Myrcia gigantea, 648–698
Myrcia guildingiana, 648–698
Myrcia heringeriana, 648–698
Myrcia hirtiflora, 648–698
Myrcia holstii, 648–698
Myrcia imbricata, 648–698
Myrcia inaequiloba, 648–698
Myrcia insignis, 648–698
Myrcia insularis, 648–698
Myrcia karuaiensis, 648–698
Myrcia ligustrina, 648–698
Myrcia limae, 648–698
Myrcia littoralis, 648–698
Myrcia lituatinervia, 648–698
Myrcia lucida, 648–698
var. *attenuata*, 648–698
Myrcia lundiana, 648–698
Myrcia maguirei, 648–698
Myrcia mathewsiana, 648–698
Myrcia mcvaughii, 648–698
Myrcia micropetala, 648–698
Myrcia multiflora, 648–698
Myrcia multiglomerata, 648–698
Myrcia myrtillifolia, 648–698
Myrcia neobuxifolia, 648–698
Myrcia neocuprea, 648–698
Myrcia neodimorpha, 648–698
Myrcia neoestrellensis, 648–698
Myrcia neoglabra, 648–698
Myrcia neoimperfecta, 648–698
Myrcia neomacrophylla, 648–698
Myrcia neomontana, 648–698
Myrcia neoobscura, 648–698
Myrcia neoregeliana, 648–698
Myrcia neoriedeliana, 648–698
Myrcia neorostrata, 648–698
Myrcia neoschomburgkiana, 648–698
Myrcia neosuaveolens, 648–698
Myrcia neotomentosa, 648–698
Myrcia neotovarensis, 648–698
Myrcia neovelutina, 648–698
Myrcia neoverticillaris, 648–698
Myrcia neuwiedeana, 648–698
Myrcia obversa, 648–698
Myrcia pallida, 648–698
Myrcia parnahibensis, 648–698
Myrcia polyantha, 648–698
Myrcia pubiflora, 648–698
Myrcia pudica, 648–698
Myrcia pyramidata, 648–698
Myrcia pyrifolia, 648–698
Myrcia quitarensis, 648–698
Myrcia racemosa, 648–698
Myrcia racemulosa, 648–698
Myrcia ramuliflora, 648–698
Myrcia riodocensis, 648–698
Myrcia rorida, 648–698
Myrcia rubella, 648–698
Myrcia rubiginosa, 648–698
Myrcia rufipila, 648–698
Myrcia rugosior, 648–698
Myrcia scutulifera, 648–698
Myrcia scytophylla, 648–698
Myrcia skortzoviana, 648–698
Myrcia sphenoides, 648–698
Myrcia stictophylla, 648–698
Myrcia strigipes, 648–698
Myrcia subobliqua, 648–698
Myrcia suborbicularis, 648–698
Myrcia subulata, 648–698
Myrcia sucrei, 648–698
Myrcia taubatensis, 648–698
Myrcia umbraticola, 648–698
Myrcia uniflora, 648–698
Myrcia velloziana, 648–698
Myrcia ventuarensis, 648–698
Myrciaria ehrenbergiana, 648–698
Myrciaria lituatinervia, 648–698

Myrtaceae, 648–698

N
North America, 525–552, 568–609, 699–749

O
Oregon, 525–552

P
Panama, 1–259
Paraguay, 384–405
Peru, 1–259
Philippines, 457–524
Psidium guildingianum, 648–698
Psychotria carthagenensis, 636–647

R
Rubachia neuwiedeana, 648–698
Rubachia spathulata, 648–698
Rubiaceae, 457–524, 636–647

S
Sarratia, 261–383
South America, 1–259, 384–405, 525–552, 568–609, 648–698, 699–749. *See also* specific countries

T
Taiwan, 750–771

U
United States, 525–552
Uruguay, 384–405

V
Vellozia, 553–567
Vellozia burlemarxii, 553–567
Vellozia campanuloides, 553–567
Vellozia canelinha, 553–567
Vellozia caudata, 553–567
Vellozia hemisphaerica, 553–567
Vellozia jolyi, 553–567
Vellozia religiosa, 553–567
Velloziaceae, 553–567
Verbena, 699–749
sect. *Aloysioides*, 568–609
Verbena chamaedryfolia f. *strigosa*, 699–749
Verbena humifusa, 699–749
Verbena salviifolia, 568–609
Verbenaceae, 568–609, 699–749
Verbeneae, 699–749

X
Xeroaloysia, 568–609

Y
Yunnan, 750–771

Z
Zingiberales, 406–455

Volume 101, Number 1, pp. 1–260 of Annals of the Missouri Botanical Garden was published on 2 September 2015.
Volume 101, Number 2, pp. 261–456 of Annals of the Missouri Botanical Garden was published on 29 December 2015.
Volume 101, Number 3, pp. 457–610 of Annals of the Missouri Botanical Garden was published on 27 April 2016.
Volume 101, Number 4, pp. 611–778 of Annals of the Missouri Botanical Garden was published on 6 December 2016.